

Revision date:22.02.2024

Version:V6

date of print:22.02.2024

1. IDENTIFICATION OF THE SUBSTANCE

1.1. Product identifier

Trade name	Xioneer VXL 70, VXL 90, VXL 111, VXL 130
Product type	Acrylate Terpolymer based polymer blend
UFI number	9600-6054-W007-56RU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	filament for FFM based 3D printing
Uses advised against:	no information available

1.3. Company

	BellandTechnology AG
	Kühlenfelser Str. 47
	D-91278 Pottenstein
Telephone	+49 (0) 171 220 006 7
E-Mail	wecanhelp@xioneer.com

1.4. Responsible Department

BellandTechnology AG
Geschäftsleitung
wecanhelp@xioneer.com

1.5. Emergency telephone number

+49 89 19240
Poison Center Munich
Klinikum rechts der Isar, Abt. für klinische Toxikologie

2. IDENTIFICATION OF HAZARDS

2.1. Classification

According to EC regulation 1272/2008 (CLP) the substance is classified as not hazardous.

According to the 2012 OSHA Hazard communication standard the substance is not considered hazardous

2.2. Labeling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

2.3. Hazards not otherwise classified (HNOC)

None identified

3. COMPOSITION/INFORMATION OF INGREDIENTS

3.1. Substances

Acrylate Terpolymer based polymer blend enhanced for 3D printing.

4. FIRST AID MEASURES

4.1. Description of first aid measures

General information:	Contaminated clothing must be taken off immediately.
After inhalation:	After inhalation of decomposition products gases or dust, bring the affected person to a source of fresh air and keep calm. Contact a physician in case of discomfort.
After eye contact:	Vapor or heated product may cause eye irritation. In case of contact with eyes, rinse open eyes thoroughly with water. Remove contact lenses and continue flushing. If irritation develops, seek immediate medical attention.
After skin contact:	After contact with the molten product, cool skin area immediately with cool water. Do not remove the product from the affected skin areas without medical assistance. Cover with sterile cotton sheeting to protect against infection. Seek medical attention.
After ingestion:	Rinse mouth with water. Induce vomiting immediately and seek medical attention. If a person vomits when lying on his back, place him in the recovery position.
Note to the physician:	Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

Dust: Skin irritation, eye irritations and redness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Decontamination, vital functions.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Water spray jet, foam, extinguishing powder, carbon dioxide.

5.2. Unsuitable media

Full water jet or a solid water stream. It might scatter and spread fire.

Revision date:22.02.2024

Version:V6

date of print:22.02.2024

5.3. Specific hazards arising from the substance or mixture

Exposure to decomposition products may be a hazard to health. The smoke of a fire can, in addition to the originating material, also contain combustion products of varying composition, which may be toxic and/or irritating. Combustion products may include and are not limited to carbon monoxide and carbon dioxide.

5.4. Advice to firefighters

Wear self-contained breathing apparatus and full protective clothing. MSHA/NIOSH (approved or equivalent) and full protective gear.

5.5. Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.6. Additional information

Fine dust dispersed in air may ignite. Risk of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust.

Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. In the event of fire and/or explosion do not breathe fumes. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Hazchem-Code: -

6. ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Do not inhale vapors/fumes released during thermal processing. Use personal protective equipment/clothing (see section 8). Avoid eye contact and dust formation and remove all sources of ignition. Sweep up to prevent slipping hazard.

6.2. Methods and material for containment and cleaning up

Sweep/shovel into suitable container for disposal. Avoid raising dust and ensure adequate ventilation. Clean contaminated surface thoroughly.

6.3. Environmental precautions

Prevent entry into drainage systems, or surface water. See section 13, disposal consideration.

7. HANDLING AND STORAGE**7.1. Precautions for safe handling**

Handle in a well-ventilated area. Install local exhaust at 3D printer's area is recommended when many printers are operated at once. Avoid contact with heated or molten product. Use personal protective equipment (see section 8). Avoid dust formation and electrostatic charge. Keep away from fire ignition.

Revision date:22.02.2024

Version:V6

date of print:22.02.2024

7.2. Conditions for safe storage, including any incompatibilities

Protect from water, moisture and direct sunlight. Store material in dry rooms and keep material in closed and air tight packaging/container with desiccant when not in use. Store at ambient temperatures. Avoid all sources of ignition.

7.3. Precautions

No special precautions required.

7.4. Specific use(s)

Primarily used for 3D printing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Occupational exposure limits**

Given suitable ventilation it can be that the threshold limits will not be reached. Provide good ventilation to ensure that the workplace exposure limit is not exceeded. Use of respiratory protection may be necessary during maintenance activities.

8.2. Exposure controls

Thermal extrusion:	Provide local exhaust ventilation to ensure that the workplace exposure limit is not exceeded. Use respiratory protection may be necessary during maintenance activities.
--------------------	---

8.3. Personal protective equipment

Hand protection:	Heat protective gloves according to EN 374. Glove material: Nitrile rubber – Layer thickness: 0,11 mm. Breakthrough time: > 480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time. In case of melting: Impervious heat protective gloves according to EN 407. Glove material: Leather, KevlarR. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to European standard EN 166 or OSHA's eye and face protection regulations in 29 CFR 1910.133
Skin and body protection:	Wear suitable protective clothing. Boots or safety shoes. IN case of dust formation: Overall.
Safety and hygiene measures:	Avoid contact of hot molten material to skin. Avoid inhalation of dust, mists and vapors. Eye wash fountains and safety showers must be easily accessible. Handle in accordance with good industrial hygiene and safety practice. No eating or drinking during work.

Revision date:22.02.2024

Version:V6

date of print:22.02.2024

8.4. Environmental exposure controls

Prevent entry into drainage systems, or surface water.

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1. Fundamental physical and chemical properties**

Form:	Filament (solid), Granulate (solid)
Color:	Natural
Odor:	Weak, characteristic
Melting index:	1 – 10 g/10 min (200 °C/10 kg)
Ignition temperature:	> 450 °C
Flash point/ flash point range:	No data available.
Explosion limit:	No data available.
Density:	No data available.
Solubility in water:	Insoluble
Solubility in 0,5 N NaOH:	50 g/l
Decomposition temperature:	> 290 °C
Specific gravity:	1,1 g/cc (20 °C)

10. STABILITY AND REACTIVITY**10.1. Stability**

Product is stable at recommended storage conditions.

10.2. Conditions to avoid

Avoid extreme heat and all sources of ignition. Avoid heating for a long time above processing temperatures.

10.3. Substances to avoid

Alkaline, strong acids and strong oxidizing substances.

10.4. Hazardous reactions

The product is chemically stable.

Revision date:22.02.2024

Version:V6

date of print:22.02.2024

10.5. Hazardous decomposition products

Dangerous/toxic fumes and other gaseous products of degradation can be given off if the product is greatly overheated. The decomposition of product depends on temperature, air supply and the presence of other materials (carbon monoxide, hydrocarbon oxidation products, including organic acids aldehydes and alcohol). In case of fire may be liberated: Smoke, hydrogen cyanide, hydrocarbons, carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION**11.1. Toxicological effects**

Acute toxicity (oral):	No data available.,
Acute toxicity (dermal):	No data available.
Acute toxicity (inhalative):	No data available.
Skin corrosion/irritation:	Not expected to be irritating.
Serious eye damage/irritation:	Not expected to be irritating.
Sensitization:	Not expected to be a skin sensitizer.
Repeated dose toxicity:	No data available.
Carcinogenicity:	No data available.
Mutagenicity:	No data available.
Teratogenicity	No data available.
STOT – single exposure	None known
STOT – repeated exposure	None known
Aspiration hazard	Not applicable, solid
Endocrine Disruptor Information	No Information available
Other adverse effects	The toxicological properties have not been fully investigated

11.2. Other dangers

Based on our state of knowledge and experience no injurious health effects are expected if the product is properly handled for the designated use.

12. ECOLOGICAL INFORMATION**12.1. Toxicity**

Eco-toxicity:	No ecological toxicity data has been generated for this product. There are no test results available and information is based on similar products.
Ecological toxicity effects:	No negative ecological effects are known at the present state of knowledge.

Revision date:22.02.2024

Version:V6

date of print:22.02.2024

12.2. Persistence and degradability

Biodegradation: The product is not readily biodegradable. The product is likely to persist in the environment.

12.3. Bio accumulative potential

No data available, but the product is expected not to be readily bioavailable due to its consistency and insolubility in water.

12.4. Mobility in soil

The product is essentially insoluble in water. Avoid contamination of soil, surface and sewage system water.

12.5. PBT and vPvB results

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Product: Generation of waste should be minimized, check the possibility for recycling. Waste product can be incinerated or dumped together with domestic waste in compliance with the local authority.

Packaging: The packaging material must be emptied completely and disposed in accordance with the regulations. The packaging can be recycled if not contaminated.

Chemical waste generators must determine whether a discarded chemical is Classified as hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. TRANSPORT INFORMATION

IATA (AIR): This product is not classified as hazardous.

IMDG (SEA): This product is not classified as hazardous.

UN, IMO, ADR/RID, ICAO Code (Road/Rail): This product is not classified as hazardous.

14.1. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant regulations of the European Union (EU)****Approval/Restriction according to EU REACH**

Not applicable

Seveso III Directive (2012/18/EC)**Qualifikations Mengen für Major Unfallmeldung**

Not applicable

Mengenschwellen for Safety Report requirements Bestandteil

Not applicable

Regulation (EC) Nr. 649/2012 of the European Parliament and the council of 4. Juli 2012**Concerning Import and Export of dangerous chemicals**

Not applicable

Contains components of a PFAS substance)?

Not applicable

Consider Guideline 98/24/EC for the protection of health and security of the worker against hazards through dangerous chemicals**National regulations**

WGK-classification

water hazard class = nwg (not hazardous to water, self classification)

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

16. OTHER INFORMATION**Indication of changes (revised safety data sheet)****Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU****Restructuring: section 9, section 14****Abbreviations and acronyms****ADN** Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)**ADR** Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)**CAS** Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)**CLP** Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures**DGR** Dangerous Goods Regulations (see IATA/DGR)**EC50** Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval**EC No** The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)**EINECS** European Inventory of Existing Commercial Chemical Substances**ELINCS** European List of Notified Chemical Substances**GHS** "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations**IATA** International Air Transport Association**IATA/DGR** Dangerous Goods Regulations (DGR) for the air transport (IATA)

Revision date:22.02.2024

Version:V6

date of print:22.02.2024

ICAO International Civil Aviation Organization**IMDG** International Maritime Dangerous Goods Code**index No** The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008**LC50** Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval**LD50** Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval**NLP** No-Longer Polymer**PBT** Persistent, Bioaccumulative and Toxic**REACH** Registration, Evaluation, Authorisation and Restriction of Chemicals**RID** Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)**SVHC** Substance of Very High Concern**VOC** Volatile Organic Compounds**vPvB** Very Persistent and very Bioaccumulative**Key literature references and sources for data**

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International

Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Changes

This data sheet contains changes from the previous version in section(s): 2,3,9,14,15.

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It is only meant for providing assistance for the processor.

It does not represent a guarantee for the properties of this product described in terms of the legal warranty regulations.

BellandTechnology AG does not guarantee the suitability of the product and does not assume responsibility for this information.

The rights and/ or licenses are not warranted directly or indirectly on consisting or pendent patents, their application or trading names. The processor is responsible for the fulfilment of all provisions and patents.

All information supplied by or on behalf of Xioneer in relation to its products, whether in the nature of data, recommendation or otherwise, is supposed by research and, in good faith, believed reliable, but Xioneer assumes no liability and make no warranties of any kind, express or implied, including but not limited to, those of title, merchantability, fitness for a particular purpose or non-infringement or any warranty arising from a course of dealing, usage or trade practice whatsoever in respect of application, processing or use made of aforementioned information or product. The user assumes all responsibility for the use of all information provided and shall verify quality and other properties or any consequences from the use of all such information. Typical values are indicative only and are not to be construed as being binding specifications.

Copyright © Xioneer 2022. All rights reserved.